

NOTICE

Construction Board of Appeals Hearing

Date: May 10, 2022
Time: CBA #22-01 @ 6:00 p.m.
Location: 52700 Van Dyke, Shelby Township, MI 48316
Lobby Conference Room – Upper Level

Pursuant to the authority contained in 1972 PA 230, Section 16, as amended, of the Michigan Construction Code Act (MCLA 125.1516), a hearing will be held pertaining to the following requests:

1. **CBA #22-01 – 52045 Van Dyke, Matthew Bristow, Business Owner, Modish Hair Salon**

2018 Michigan Plumbing Code:

Section 403.1 - Request to omit a drinking fountain and service sink in a tenant space that has the capacity for more than 15 persons by stipulating to an occupant load of 15 or less.


Section 403.2 – Request to waive requirement for separate toilet facilities for each sex by stipulating to an occupant load of 15 or less persons even though there is seating capacity for more.

All parties are expected to be prepared to present competent evidence regarding the request. The hearing will be held in accordance with Township procedures and 1969 PA 306 of the Administrative Procedures Act.

Exhibits pertaining to the above mentioned issue are available upon request to the Building Department.

Official minutes of the Construction Board of Appeals are maintained within the offices of the Building Department and are available during normal business hours.

Individuals with disabilities requiring auxiliary aids or services at the meeting should contact the Shelby Township Clerk's Office at (586) 731-5102, TDD (586) 726-2731, 7 days prior to the meeting.



Timothy R. Wood, Building Department Director

5/2/22
Date

Shelby Township Hall 52700 Van Dyke Ave. - 586-731-5100 - www.shelbytwtp.org

Individuals with disabilities requiring auxiliary aids or service at the meeting should contact the Shelby Township Clerk's Office at 586-731-5102.



Macomb County's
Lowest-cost, full-service
Community